

HiStone

POS System | Rock | HK950M

Key Features

- ❑ Intel Skylake i3 CPU delivering power and performance
- ❑ 15" TFT LCD (LED back light) | 4:3
- ❑ Fanless design for silent operation
- ❑ Robust die-cast aluminium stand with integrated cable management
- ❑ Heat-dissipating technology ensures stable working conditions
- ❑ Rich I/O Interface



MODEL		HK950M
Processor		Intel® Core™ Skylake-U, 6th Generation High-Performance CPU i3-6100U SOC 2.3GHz
Operating System		Windows 7 / Windows 8.1 / Windows 10 / Linux
Memory		SO-DIMM DDR4 2133MHz 4GB up to 16GB
Storage		SATA HDD 500GB
		SATA SSD 128GB up to 256GB
Display Panel		15" TFT LCD (LED backlight) 4:3 Standard resolution: 1024 x 768
Touch Screen		True flat capacitive touch screen
Power Supply		24V 60W (Standard) 24V 90W (Optional for Powered USB)
Speaker		2* 2W
Standard I/O Ports	USB	4* 2.0, 2* 3.0
	Serial	3* RJ48
	LAN	1* RJ45 100M/1000M Gigabit
	Cash Drawer	1* 24V RJ11 (Supports dual cash drawer)
	Audio	1* 3.5mm
	HDMI	1* HDMI
	VGA	1* VGA
	DC Output	1* 12V for second display
Optional I/O Ports	USB	2* 2.0
	Powered USB	1* 12V & 1* 24V
Optional Peripherals	Camera	Not supported
	Wi-Fi®	Dual-band 802.11a/b/g/n/ac 2.4GHz/5GHz
	Bluetooth	Not supported
	Second Display	15" Touch / Non-touch Resolution: 1024 x 768
		10.4" Touch / Non-touch Resolution: 800 x 600
		2x20 Characters VFD
	Printer	Separate 80mm thermal printer
	MSR	3 tracks MSR
	RFID	MSR & RFID (Supports MIFARE one & MIFARE CPU card)
	Scanner	Separate handheld
	FPR	Fingerprint reader
	Stand	Normal desktop stand
Wall Mount	Wall mount bracket	
Anti-glare	Anti-glare protector	

Disclaimer: All products specifications are subject to change without notice.

MODEL		HK950M
Dimensions (WxDxH)		360 x 290 x 410 mm
Weight		13kg (Dual display)
Tilt Adjustment		0°- 45° (Vertical)
Environment	Operating	0°C - 40°C / 40%-90% RH non-condensing
	Storage	-20°C - 60°C / 10%-90% RH non-condensing
EMC and Safety		FCC / CE / RoHS
Colour		Black

Disclaimer: All products specifications are subject to change without notice.



- ❑ Second Display Options: VFD, 10.4" and 15" Touch / Non-Touch



- ❑ Optional Integrated Peripherals include: Card Reader (MSR/MSR & RFID) and FPR

- ❑ Optional Separate Peripherals include: Handheld Scanner, Cash Drawer, POS Keyboard and 80mm Thermal Printer

