

**WINTEC**

Smart POS, Smarter Retail

**ID** AUTOMATION

# Anypos300



Convenience  
Store



Supermarket



[www.idautomation.com.mx](http://www.idautomation.com.mx)

### All in one design

Integrated with printer, scanner, dual display, MSR, 2D/3D camera



### Uniquely designed "Convertible POS"

Self service mode & Cashier mode  
180° rotatable scanner & printer module  
Horizontal/Vertical display mode



### Cable management & Magnetic cover



### Uniquely designed printer and scanner module

Rotatable and removable



### Rotatable arm

To support different angle adjustments



### Multiple screen sizes for different scenarios and applications

Main display: 11.6"/15"/15.6"  
2nd display: 11.6"/15"/15.6"



# Anypos300 Specification



## CPU

J6412 Quad Core 2.0GHz  
i3-1115G4 Dual Core 3.0GHz  
i5-1135G7 Quad Core 2.4GHz



## Memory

4GB, up to 32GB



## Storage

128GB, up to 512GB



## Printer

80mm Thermal Printer  
w/ Auto cutter



## Main Display

11.6" LCD, 1366\*768(PCAP)  
15" LCD, 1024\*768 (PCAP)  
15.6" LCD, 1920\*1080/1366\*768 (PCAP)



## 2nd Display

11.6" LCD, 1366\*768 (PCAP)  
15" LCD, 1024\*768 (PCAP)  
15.6" LCD, 1920\*1080/1366\*768 (PCAP)



## Scanner

High-performance Scanner



## Interfaces

8\*USB, 4\*RS232(2\*RJ48, 2\*DB9),  
1\*RJ45, 1\*DK, 1\*24V IN,  
1\*HDMI, 1\*24V OUT, 1\*PS2



## Ethernet

1\*10/100/1000M



## WiFi&BT(optional)

802.11 b/g/n/ac + BT4.2



## Speaker

1\*5W Speaker



## OS

Win10,  
Linux (V20.4 and above)



## Dimension

15.6": 380\*258\*553 (mm)



## Power Adapter

AC Input 100~240V, 50-60Hz  
DC Output 24V/2.5A





## Options


MSR, iButton, RFID,  
2D/3D Camera

# Anypos300 Specification





 **CPU**  
RK3568 Quad Core 2.0GHz


 **Memory**  
4GB


 **Storage**  
32GB


 **Printer**  
80mm Thermal Printer  
w/ Auto Cutter


 **Main Display**  
11.6" LCD, 1366\*768(PCAP)  
15" LCD, 1024\*768 (PCAP)  
15.6" LCD, 1920\*1080/1366\*768 (PCAP)


 **2nd Display**  
11.6" LCD, 1366\*768 (PCAP)  
15" LCD, 1024\*768 (PCAP)  
15.6" LCD, 1920\*1080/1366\*768 (PCAP)


 **Scanner**  
High-performance Scanner


 **Interfaces**  
8\*USB, 4\*RS232(2\*RJ48, 2\*DB9),  
1\*RJ45, 1\*DK, 1\*24V IN,  
1\*HDMI, 1\*24V OUT, 1\*OTG


 **Ethernet**  
1\*10/100/1000M


 **WiFi&BT**  
802.11 b/g/n/ac + BT4.2

 **Speaker**  
1\*5W Speaker

 **OS**  
Android 11

 **Dimension**  
15.6": 380\*258\*553 (mm)

 **Power Adapter**  
AC Input 100~240V, 50-60Hz  
DC Output 24V/2.5A

 **Options**  
MSR, iButton, RFID,  
2D/3D Camera